# Safety Data Sheet acc. To OSHA HCS

Revision Date: 11/25/2015

#### 1 Identification

**Product Identifier** Fast Patch 2

Article number:

Relevant Identified uses of the substance or mixture and uses advised against

No further relevant information available

Application of the substance / the mixture

Details of the supplier of the safety data sheet

Manufacturer/Supplier Lambert Corporation

20 Coburn Ave. Orlando, FL 32805

(407) 841-2940

**Emergency Telephone Number:** (800) 424-9300 - Chemtrec

Information Department: Environmental, Health, and Safety department

# 2 Hazard(s) Identification

Classification of the substance or mixture

Carc. 1A H350 May cause cancer.

Label Elements

GHS label elements

Hazard Pictograms



GHS08

Signal Word Danger

Hazard-determining components of labeling:

Quartz (SiO2)

**Hazard Statements** 

May cause cancer.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood

 ${\it IF exposed or concerned: Get medical advice/attention.}$ 

#### Store locked up

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Classification system:

# NFPA ratings (scale 0 - 4)



# HMIS ratings (scale 0 - 4)



#### Other Hazards

Results of PBT and vPvB assessment

PBT: Not applicablevPvB: Not applicable

#### 3 Composition/Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions

Dangerous Components:

14808-60-7 Quartz (SiO2)

65997-15-1 Cement, Portland

65997-16-2 Calcium Aluminate Cement

Additional information For the wording of the listed risk phrases refer to section 16.

### 4 First-Aid Measures

# Description of first aid measures

After Inhalation: Supply fresh air; consult doctor in case of complaints

After Skin Contact: If skin irritation continues, consult a doctor

After Eye Contact: Rinse opened eye for several minutes under running water.

After Swallowing: Seek medical treatment

Most important symptoms and effects, both acute and delayed: No further information available

**Indication of any immediate medical attention and special treatment needed:**No further information available

# 5 Fire-Fighting Measures

Extinguishing media:

Suitable extinguishing agents: CO2, sand, extinguishing powder, foam. Fight larger fires with water spray

For safety reasons unsuitable extinguishing agents: Water

Special hazards arising from the substance or mixture: No further relevant information available

Advice for firefighters:

Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus

(SCRA) with a full formula apparatus

(SCBA) with a full face piece operated in pressure-demand or positive-pressure mode

#### 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Environmental procedures: No special measures required

Methods and material for containment and cleaning up: Pick up mechanically

Reference to other sections:

See Section 7 for information on safe handling

 $See \ Section \ 8 \ for \ information \ on \ personal \ protection \ equipment.$ 

See Section 13 for disposal information.

# 7 Handling and Storage

Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid

Precautions for safe handling: breathing vapors or mists of this product. Use with adequate ventilation. Do not take

internally.

Information for protection against explosions and fires: No special requirements

Conditions for safe storage, including any incompatibilities:

Storage: No special requirements

Requirements to be met by storerooms and receptacles: No special requirements

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None

Specific end use(s): N/A

# 8 Exposure Controls/Personal Protection

Additional information about design of technical systems: N/A

Control parameters:

Components with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

PEL See Quartz listing

REL Short-term value:  $0.05* mg/m^3$ 

\*respirable dust; See Pocket Guide App. A

TLV Long-term value:  $0.025* mg/m^3$ 

\*as respirable fraction

65997-15-1 Cement, portland

PEL Long-term value:  $50 \text{ mppcf or } 15*5** \text{mg/m}^3$ 

\*total dust \*\*respirable fraction

REL Long-term value:  $10*5**mg/m^3$ 

\*total dust \*\*respirable fraction

TLV Long-term value:  $1* mg/m^3$ 

E; \*as respirable fraction

Additional information: The lists that were valid during the creation were used as basis

Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

Wash hands before breaks and at the end of work

**Breathing equipment** Not required

Protection of hands:



Protective Gloves

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective

gloves and has to be observed

**Eye protection:** Wear appropriate eye protection to prevent eye contact.

#### 9 Physical and Chemical Properties

Information of basic physical and chemical properties

General information

Appearance:

Form:	Solid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined
pH- value:	Not applicable
Change in condition:	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous):	Not determined
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not self-igniting
Danger of explosion:	Product is not explosive
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure at 20 °C (68 °F):	Not applicable
Density at 20 °C (68 °F)	$2.74819 \ g/cm^3 (22.934 \ lbs/gal)$
Relative density:	Not determined
Vapor density:	Not applicable
Evaporation rate:	Not applicable
Solubility in / Miscibility with Water:	Soluble
Partition coefficient (n-octanol/water)	Not determined
Viscosity:	
Dynamic:	Not determined
Kinematic:	Not determined
Solvent content:	
Organic solvents:	0.00%
Solids content:	100.00%
Other information:	None
Volatile organic compounds:	Contains less than 800 g/L

# 10 Stability and Reactivity

 $\it Reactivity:$ 

Chemical stability:

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

**Possibility of hazardous reactions:** No dangerous reactions known.

Conditions to avoid: Keep away from heat and sources of ignition

Incompatible materials: No further relevant information available

Hazardous decomposition products: No dangerous decomposition products known

# 11 Toxicological Information:

Information on toxicological effects:

Acute toxicity:

Primary irritant effect:

on the skin: May cause skin irritation

on the eye: No irritating effect knownSensitization: No sensitizing effects known

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients listed.

# 12 Ecological Information

Toxicity:

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Bioaccumulative potential: No further relevant information available.

*Mobility in soil:* No further relevant information available.

Additional ecological information:

General notes:

 $Water\ hazard\ class\ 1\ (Self-assessment):\ slightly\ hazardous\ for\ water$ 

Results of PBT and vPvB assessment:

**PBT:** Not applicable

vPvB: Not applicable

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Waste treatment methods:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system. It is the

generator's responsibility to determine if the waste meets applicable definitions of hazardous waste.

State and local regulations may differ from federal disposal regulations. Dispose of waste material

according to local, state, federal, and provincial environmental regulations.

Uncleaned packagings:

Recommendation:

**Recommendation:** Disposal must be made according to Federal, State, and Local regulations

14 Transport Information

 $\emph{UN-Number}$ :

DOT, ADR, ADN, IMDG, IATA

Not regulated

UN proper shipping name:

DOT, ADR, ADN, IMDG, IATA Not regulated

Transport hazard class(es):

DOT, ADR, IMDG, IATA

Class Not regulated

Packing group:

DOT, ADR, IMDG, IATA:

Not regulated

Environmental hazards:

Marine pollutant: No

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

Transport/Additional information:

ADR:

U.S. Domestic Ground Shipments: Same as listed for Standard Shipments above.

U.S. Domestic ground Non-Bulk (119 gal

or less per container) Shipments:

Same as listed for Standard Shipments above.

Emergency Response Guide (ERG) Number: Not determined

**IMDG** 

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

N/E

Sara:

Section 355 (extremely hazardous substances): None of the ingredient listed

This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and

Section 313 (Specific toxic chemical listings): requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the

chemicals are listed below

TSCA (Toxic Substances Control Act):

14808-60-7 Quartz (SiO2)

65997-15-1 Cement, Portland

Proposition 65:

Chemicals known to the State of California (Prop. 65) to cause cancer:

14808-60-7 Quartz (SiO2)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients listed.

Chemicals known to cause developmental toxicity:

None of the ingredients listed.

Cancerogenity categories:

EPA (Environmental Protection Agency):

None of the ingredients listed.

TLV (Threshold Limit Value established by ACGIH):

14808-60-7 Quartz (SiO2)

MAK (German Maximum Workplace Concentration):

14808-60-7 Quartz (SiO2)

NIOSH-Ca (National Institute for Occupational Safety and Health)

14808-60-7 Quartz (SiO2)

GHS label elements: The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS08

Signal word: Danger

Hazard-determining components of labeling:

Quartz (SiO2)

Hazard statements:

May cause cancer

Precautionary statements:

Wear protective gloves/protective clothing/eye protection/face protection.

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

IF exposed or concerned: Get medical advice/attention

Store locked up

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other Information

Department issuing MSDS: Environmental, Health & Safety Department

Contact: Environmental, Health & Safety Manager

Date of preparation / Last revision: 11/25/2015

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Carc. 2: Carcinogenicity, Hazard Category 2

Repr. 2: Reproductive toxicity, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

# Safety Data Sheet acc. To OSHA HCS

Revision Date: 12/7/2015

# 1 Identification

Product Identifier Fast Patch 2 Liquid

Article number:

Relevant Identified uses of the substance or mixture and uses advised against

No further relevant information available

Application of the substance / the mixture

Details of the supplier of the safety data sheet

Manufacturer/Supplier

Lambert Corporation

20 Coburn Ave. Orlando, FL 32805

(407) 841-2940

**Emergency Telephone Number:** (800) 424-9300 - Chemtrec

Information Department: Environmental, Health, and Safety department

# 2 Hazard(s) Identification

Classification of the substance or mixture

Skin Irrit. 1 H317 May cause an allergic skin reaction

Label Elements

GHS label elements

Hazard Pictograms



GHS07

Signal Word Warning

Hazard-determining components of labeling:

Polyethylene glycol octyl phenyl ether

Hazard Statements

May cause an allergic skin reaction

Precautionary statements

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Use personal protective equipment as required.

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations

#### Classification system:

#### NFPA ratings (scale 0 - 4)



Health = 1

Fire = 0

Reactivity = 0

### HMIS ratings (scale 0 - 4)



Health = 1

Fire = 1

Reactivity = 0

Other Hazards

#### Results of PBT and vPvB assessment

PBT: Not applicablevPvB: Not applicable

# 3 Composition/Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions

Dangerous Components:

9036-19-5 Polyethylene glycol octyl phenyl ether

**Additional information**: For the wording of the listed risk phrases refer to section 16.

# 4 First-Aid Measures

# Description of first aid measures

After Inhalation: Supply fresh air; consult doctor in case of complaints

After Skin Contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor

After Eye Contact: Rinse opened eye for several minutes under running water. If irritation persists, consult a doctor.

After Swallowing: Seek medical treatment

Most important symptoms and effects, both acute and delayed: No further information available

Indication of any immediate medical attention and special treatment needed:

No further information available

# 5 Fire-Fighting Measures

Extinguishing media:

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol

resistant foam

Special hazards arising from the substance or mixture: No further relevant information available.

Advice for firefighters:

Protective equipment:

Because fire may produce thermal decomposition products, wear a self-contained breathing apparatus

(SCRA) with a full feet piece or contact in processor design and on positive processor and on the product of the processor and on the processor and on the product of the processor and on the processor and the processor

(SCBA) with a full face piece operated in pressure-demand or positive-pressure mode

# 6 Accidental Release Measures

# Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Environmental procedures:

Do not allow product to reach sewage system or any water course. Inform respective authorities

in case of seepage into water course or sewage system.

#### Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

#### Reference to other sections:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and Storage

Precautions for safe handling: Wear appropriate personal protective clothing to prevent eye and skin contact. Avoid breathing

vapors or mists of this product. Use with adequate ventilation. Do not take internally.

Information for protection against explosions and fires: No special requirements

Conditions for safe storage, including any incompatibilities:

Storage:

Requirements to be met by storerooms and receptacles: No special requirements

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s): N/A

# 8 Exposure Controls/Personal Protection

Additional information about design of technical systems: N/A

Control parameters:

Components with limit values that require monitoring at the workplace:

None of the ingredients listed

Additional information: The lists that were valid during the creation were used as basis

Exposure controls:

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work

Store protective clothing separately

Avoid contact with the eyes and skin.

Breathing equipment In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

# Protection of hands:



Protective Gloves

Material of gloves: Nitrile Rubber

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective

gloves and has to be observed

Eye protection: Wear appropriate eye protection to prevent eye contact.

# 9 Physical and Chemical Properties

Information of basic physical and chemical properties

General information

Appearance:

Form: Liquid
Color: White

Odor: Sweet/Mild

Odor threshold: Not determined

pH- value: Not determined

Change in condition:

Flammability (solid, gaseous):

Melting point/Melting range: $0 \, ^{\circ}C \, (32 \, ^{\circ}F)$ Boiling point/Boiling range: $100 \, ^{\circ}C \, (212 \, ^{\circ}F)$ Flash point:Not applicable.

Not applicable

Ignition temperature:

Decomposition temperature:Not determinedAuto igniting:Not self-igniting

**Danger of explosion:** Product is not explosive

Explosion limits:

Lower: Not determined
Upper: Not determined

**Vapor pressure at 20 °C (68 °F):** 23 hPa (17 mm Hg)

**Density at 20 °C (68 °F)** 1.03573 g/cm³ (8.643 lbs/gal)

Relative density:Not determinedVapor density:Not determinedEvaporation rate:Not determined

Solubility in / Miscibility with Water: Not miscible or difficult to mix

Partition coefficient (n-octanol/water) Not determined

Viscosity:

Dynamic: Not determined

Kinematic: Not determined

Solvent content:

Other information: None

Volatile organic compounds: Contains less than 700 g/L

# 10 Stability and Reactivity

**Reactivity:** No decomposition if stored and applied as directed

Chemical stability:

Thermal decomposition / Conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known.

Conditions to avoid: Keep away from heat and sources of ignition

Incompatible materials: No further relevant information available

Hazardous decomposition products: No dangerous decomposition products known

# 11 Toxicological Information:

Information on toxicological effects:

Acute toxicity:

Primary irritant effect:

on the skin: May cause skin irritation

on the eye: Strong irritant with the danger of severe eye injury

Sensitization: No sensitizing effects known

#### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients listed.

NTP (National Toxicology Program)

None of the ingredients listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients listed.

# 12 Ecological Information

Toxicity:

Aquatic toxicity: No further relevant information available.

Persistence and degradability: No further relevant information available.

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes:

Generally not hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Danger to drinking water if even extremely small quantities leak into the ground

Results of PBT and vPvB assessment:

PBT: Not applicablevPvB: Not applicable

Other adverse effects: No further relevant information available.

# 13 Disposal Considerations

Waste treatment methods:

Must not be disposed of as normal garbage. Do not allow product to reach sewage system. It is the generator's responsibility to determine if the waste meets applicable definitions of hazardous waste. State and local regulations may differ from federal disposal regulations. Dispose of waste material according

to local, state, federal, and provincial environmental regulations.

Uncleaned packagings:

Recommendation:

Recommendation: Disposal must be made according to Federal, State, and Local regulations

14 Transport Information

UN-Number:

DOT, ADR, IMDG, IATA: Not Regulated

UN proper shipping name:

DOT, ADR, IMDG, IATA: Not Regulated

Transport hazard class(es):

DOT, ADR, IMDG, IATA: Not Regulated

Environmental hazards:

Marine pollutant: No

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

Same as listed for Standard Shipments above U.S. Domestic Ground Shipments:

U.S. Domestic ground Non-Bulk (119 gal

or less per container) Shipments:

Same as listed for Standard Shipments above

Emergency Response Guide (ERG) Number: Not determined

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

Sara:

Section 355 (extremely hazardous substances): None of the ingredient is listed

> This product may contain 1 or more toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and

Reauthorization Act (SARA) of 1986 and 40 CFR part 372. If so, the

chemicals are listed below

TSCA (Toxic Substances Control Act):

Section 313 (Specific toxic chemical listings):

All ingredients are listed

Proposition 65:

Chemicals known to the State of California (Prop. 65) to cause cancer:

None of the ingredients listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients listed.

Chemicals known to cause developmental toxicity:

None of the ingredients listed.

Cancerogenity categories:

EPA (Environmental Protection Agency):

None of the ingredients listed.

TLV (Threshold Limit Value established by ACGIH):

None of the ingredients listed.

MAK (German Maximum Workplace Concentration):

None of the ingredients listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients listed.

GHS label elements: The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS07

Signal word: Danger

Hazard-determining components of labeling:

Polyethylene glycol octyl phenyl ether

Hazard statements:

May cause an allergic skin reaction

Precautionary statements:

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations

National regulations:

Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases

Water hazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

Department issuing MSDS: Environmental, Health & Safety Department

Contact: Environmental, Health & Safety Manager

Date of preparation / Last revision: 11/17/2015

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Muta. 1B: Germ cell mutagenicity, Hazard Category 1B

Carc. 1B: Carcinogenicity, Hazard Category 1B